according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



BOTZ Parting agent

Material number 9010

 Version:
 9.1
 Revision date:
 28/3/2024
 Page:
 1 of 8

 Replaces version:
 9.0
 Date of print:
 10/4/2024
 Language:
 en-GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: BOTZ Parting agent

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Mineral protective layer for kiln plates

1.3 Details of the supplier of the safety data sheet

Company name: BOTZ GmbH Keramische Farben

Street/POB-No.: Rudolf-Diesel-Straße 57

Postal Code, city: 48157 Münster

Germany

Telephone: +49 (0)251 65 402 Telefax: +49 (0)251 66 30 12

Department responsible for information:

Contact person: Frau Vehoff, Telephone: +49 (0)251 65 402

E-mail: info@botz-glasuren.de

1.4 Emergency telephone number

Telephone: +49 (0)251 65 402 Only available during office hours.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable
Precautionary statements: not applicable

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



BOTZ Parting agent

Material number 9010

 Version:
 9.1
 Revision date:
 28/3/2024
 Page:
 2 of 8

 Replaces version:
 9.0
 Date of print:
 10/4/2024
 Language:
 en-GB

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mineral compound, solvent-free acrylic binder.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: During the firing process: In case of inhalation of decomposition products, affected person

should be moved into fresh air and kept still. Seek medical treatment in case of troubles.

Following skin contact: Remove residues with soap and water. In case of skin irritation, consult a physician.

After eye contact: With eyelids open, wash out eyes for several minutes under flowing water. Remove

contact lenses, if present and easy to do. Continue rinsing. In case of troubles or

persistent symptoms, consult an opthalmologist.

After swallowing: Rinse mouth with water. Seek medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected

according to surroundings.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

In case of strong heating partially formation of carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Hazchem-Code: -

Cool endangered containers with water spray and, if possible, remove from danger zone. Use water spray jet to knock down vapours. Do not breathe fumes. Do not allow fire water

to penetrate into surface or ground water.

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

BOTZ®

BOTZ Parting agent

Material number 9010

 Version:
 9.1
 Revision date:
 28/3/2024
 Page:
 3 of 8

 Replaces version:
 9.0
 Date of print:
 10/4/2024
 Language:
 en-GB

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours. Avoid contact with skin, eyes, and clothing. Wear appropriate protective equipment. Ensure adequate ventilation, especially in confined areas.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: During the glazing process:

Avoid breathing vapours. Avoid contact with skin, eyes, and clothing. When using do not eat, drink or smoke. Wash hands before breaks and immediateley after using the product.

When using the materials do not leave children unattended.

If necessary: Wear appropriate protective equipment.

During the firing process: Air the room. Lead burning waste gases outside directly if

possible.

Precautions against fire and explosion:

Take standard precautions to prevent fire.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed. Do not dry up the product. Do not drop, drag or bang the

container. Store out of the reach of children.

storage temperature: Store at room temperature. Protect from frost and exposure to sun.

Hints on joint storage: Keep away from food and drinks.

7.3 Specific end use(s)

Mineral protective layer for kiln plates

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

When using this product, a well-functioning exhaust ventilation of the furnace gases and ample ventilation of the workrooms are recommended.

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



BOTZ Parting agent

Material number 9010

 Version:
 9.1
 Revision date:
 28/3/2024
 Page:
 4 of 8

 Replaces version:
 9.0
 Date of print:
 10/4/2024
 Language:
 en-GB

Personal protection equipment

Occupational exposure controls

Respiratory protection: During the firing process: Respiratory protection is not necessary if room is well ventilated.

Hand protection: Protective gloves according to BS EN 374

Glove material: nitrile rubber Breakthrough time: >480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Risk of splashes: Tightly sealed goggles according to BS EN ISO 16321-1:2022.

Body protection: Recommendation: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid breathing vapours. Avoid contact with skin, eyes, and clothing. Provide a

conveniently located eye rinse station. Wash hands before breaks and immediateley after

using the product. When using do not eat, drink or smoke.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Form: pasty (thixotropic)

Odour: almost odourless
Odour threshold: No data available

pH: 8 **-** 10

Melting point/freezing point: No data available No data available Initial boiling point and boiling range: Flash point/flash point range: No data available Evaporation rate: No data available Flammability: No data available Explosion limits: No data available Vapour pressure: No data available Vapour density: No data available Density: No data available

Water solubility: dispersible

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity, kinematic:

Explosive properties:

Oxidizing characteristics:

No data available

No data available

No data available

No data available

9.2 Other information

Additional information: No data available

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



BOTZ Parting agent

Material number 9010

 Version:
 9.1
 Revision date:
 28/3/2024
 Page:
 5 of 8

 Replaces version:
 9.0
 Date of print:
 10/4/2024
 Language:
 en-GB

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

Do not dry up the product.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are

observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information: The product is harmless by proper handling and according to the terms of application.

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



BOTZ Parting agent

Material number 9010

 Version:
 9.1
 Revision date:
 28/3/2024
 Page:
 6 of 8

 Replaces version:
 9.0
 Date of print:
 10/4/2024
 Language:
 en-GB

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: Due to its low solubility in water the product is almost completely mechanically separated

in biological sewage plants.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 08 02 03 = Aqueous suspensions containing ceramic materials.

Recommendation: Dispose of waste according to applicable legislation.

Package

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Uncontaminated packaging may be treated as household waste.

Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



BOTZ Parting agent

Material number 9010

 Version:
 9.1
 Revision date:
 28/3/2024
 Page:
 7 of 8

 Replaces version:
 9.0
 Date of print:
 10/4/2024
 Language:
 en-GB

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Marine pollutant:

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]



BOTZ Parting agent

Material number 9010

 Version:
 9.1
 Revision date:
 28/3/2024
 Page:
 8 of 8

 Replaces version:
 9.0
 Date of print:
 10/4/2024
 Language:
 en-GB

SECTION 16: Other information

Further information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EN: European Standard EQ: Excepted quantities

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 1: Address

Date of first version: 29/9/2010

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.